

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	99	((detect\$3 or monitor\$3 or analy\$4) same (web or internet) same user same access (site or page)).ab. and @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 15:23
S4	1	S3 ((map\$4 or store) near3 (data adj structure)) and user and compar\$3 @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 14:28
S5	3536	((detect\$3 or monitor\$3 or analy\$4) same (web or internet) same user same access (site or page)) and @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/14 20:27
S6	71	S5 ((map\$4 or store) near3 (data adj structure)) and user and compar\$3 @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 14:50
S7	2	S6 and (click adj stream)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 14:31
S8	5	S5 ((map\$4 or stor\$3) near3 (data adj structure)) and user and (compar\$3 with (data adj structure)) @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 14:56
S9	88	S5 ((map\$4 or stor\$3) near3 (data adj structure)) user (compar\$3 with data) @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 15:00
S10	583	S5 ((map\$4 or stor\$3) near3 ((data adj structure) or data\$base)) user (compar\$3 with data) @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 15:02
S11	24	S5 ((map\$4 or stor\$3) near3 ((data adj structure) or data\$base)) user (compar\$3 with data).ab. @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 15:25
S12	70	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj (site or page)) same user same access).ab. and @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 20:24

S13	12358	((map\$4 or stor\$3) with ((data adj structure) or data\$base)) user (compar\$3 with data) and @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 15:50
S14	911	((map\$4 or stor\$3) with ((data adj structure) or data\$base)) user (compar\$3 with data).ab. and @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 15:28
S15	7	S12 S13	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 15:29
S16	11	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj (site or page)) same user same (access adj (data or pattern or information))). ab. and @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 15:38
S17	8	S12 and (user adj profile)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 16:01
S18	1363	((map\$4 or stor\$3) with ((data adj structure) or data\$base)) with (user near2 (profile or information or data)) and (compar\$3 with data) and @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 20:27
S19	0	S18 S15	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 15:54
S20	18	S12 and compar\$3 and assign\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 16:02
S21	4	S17 S20	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 17:00
S22	58804	(web or internet) adj1 (page or site)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 17:02

S23	3730	S22 same profile	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 17:02
S24	147	S23 same pattern	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 17:07
S25	79	S23 same pattern and @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 17:06
S26	8	S25 and S18	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 17:04
S27	2587	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same user same access)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/15 19:00
S28	2473	((map\$4 or stor\$3) with ((data adj structure) or data\$base)) with (user near2 (profile or information or data)) and (compar\$3 with data)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 21:07
S30	7	S27 S28 (assign\$3 with user with attribute)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 20:34
S31	4	S27 S28 (assign\$3 with user with attribute) vector demographic gender	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 20:45
S32	58	S27 S28 @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 20:38
S33	6	S27 S28 (assign\$3 with user with attribute) demographic gender	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 20:46

S34	8	S32 (assign\$3 with user) demographic gender	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/13 11:34
S35	5012	((map\$4 or stor\$3) same ((data adj structure) or data\$base)) same (user near2 (profile or information or data)) and (compar\$3 with data)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 21:09
S36	228	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same user same access) ((map\$4 or stor\$3) same ((data adj structure) or data\$base)) same (user near2 (profile or information or data)) and (compar\$3 with data)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 21:31
S37	43	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same user same access) ((map\$4 or stor\$3) same ((data adj structure) or data\$base)) same (user near2 (profile or information or data)) and (compar\$3 with data) and (assign near3 user)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 21:28
S38	8	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same user same access) ((map\$4 or stor\$3) same ((data adj structure) or data\$base)) same (user near2 (profile or information or data)) and (compar\$3 with data) and (assign near3 user) vector demographic gender	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 21:20
S39	19	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same user same access) ((map\$4 or stor\$3) same ((data adj structure) or data\$base)) same (user near2 (profile or information or data)) and (compar\$3 with data) and (assign near3 user) @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 21:25
S40	126	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same user same access) ((map\$4 or stor\$3) ((data adj structure) or data\$base)) (user near2 (profile or information or data)) and (compar\$3 with data) and (assign near3 user)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 21:29

S41	108	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same user same access) ((map\$4 or stor\$3) same ((data adj structure) or data\$base)) same (user near2 (profile or information or data)) and (compar\$3 with data) @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 21:41
S42	82	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same user same access) ((map\$4 or stor\$3) same ((data adj structure) or data\$base)) same (user near2 (profile or information or data)) and (compar\$3 with data) assign\$3 @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 21:42
S43	28	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same user same access) ((map\$4 or stor\$3) same ((data adj structure) or data\$base)) same (user near2 (profile or information or data)) and (compar\$3 with data) assign\$3 demographic @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 21:42
S44	15	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same user same access) ((map\$4 or stor\$3) same ((data adj structure) or data\$base)) same (user near2 (profile or information or data)) and (compar\$3 with data) assign\$3 demographic gender @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/13 18:26
S45	6	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same user same access) ((map\$4 or stor\$3) same ((data adj structure) or data\$base)) same (user near2 (profile or information or data)) and (compar\$3 with data) assign\$3 demographic gender vector @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 21:42
S46	1	"20030101024".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 21:57
S47	636	Expectation adj Maximization	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/14 19:48

S48	9	Expectation adj Maximization S35	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 22:09
S49	2	Expectation adj Maximization S35 bias	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/12 22:09
S50	9	(Expectation adj Maximization) bias (initiali\$4 with parameter)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/14 19:55
S51	23	(Expectation adj Maximization) and (user adj (profile or type or data or information or category))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/14 19:58
S52	55	Expectation adj Maximization and cosine	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/13 00:26
S53	49	Expectation adj Maximization and cosine and vector	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/13 21:09
S54	1	"5948061".PN.	USPAT; USOCR	AND	ON	2005/05/13 12:21
S55	22	Expectation adj Maximization and cosine and vector @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/13 16:37
S59	9	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same user same access) ((map\$4 or stor\$3) same ((data adj structure) or data\$base)) same (user near2 (profile or information or data)) and (compar\$3 with data) assign\$3 demographic gender @ad<"20011102" and (distance or similarity)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/13 18:26
S61	2	Expectation adj Maximization and cosine and vector and proxim\$4	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/13 21:09

S64	2	(Expectation adj Maximization) bias (initiali\$4 with parameter) @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/14 19:55
S65	190	((detect\$3 or monitor\$3 or analy\$4) same (web or internet) same user same access (site or page)) and bias @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/14 21:51
S67	24	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same user same access) and (Expectation adj Maximization or EM) and @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/14 21:56
S68	12	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same user same access) and (Expectation adj Maximization or EM) and parameter and it\$eration @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/14 22:07
S69	0	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same pattern same access) and (Expectation adj Maximization or EM) and parameter and it\$eration @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/14 22:07
S70	13	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same access) and (Expectation adj Maximization or EM) and parameter and it\$eration @ad<"20011102"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/14 22:07
S71	1	"5970421".PN.	USPAT; USOCR	AND	ON	2005/05/14 22:38
S72	26	("4903305"   "5506986"   "5537586"   "5742816"   "5758072"   "5768578"   "5787414"   "5832484"   "5835905"   "5850516"   "5856928"   "5873099"   "5903892"   "5911139"   "5913205"   "5915250"   "5920873"   "5953725"   "5970421"   "5991756"   "6006230"   "6038559"   "6088717"   "6094654"   "6134541"   "6374367").PN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/05/14 22:39
S73	0	("6742003").URPN.	USPAT	AND	ON	2005/05/14 22:42
S74	2587	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same user same access)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/15 19:00

S75	636	Expectation adj Maximization	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/15 19:00
S76	2587	((detect\$3 or monitor\$3 or analy\$4) same ((web or internet) adj1 (site or page)) same user same access)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/15 22:17
S77	636	Expectation adj Maximization	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/15 22:17
S78	19	S77 S76	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2005/05/15 22:17